

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63	(obtain\$3 or collect\$5) with archit\$9 with allocat\$5 with resource \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 13:41
L2	156	(type\$5 or kind\$5) with architec\$5 with (processor\$3 or node\$3 or cpu\$3 or computer \$3) with (convert\$3 or transform\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 13:41
S126	805	allocat\$5 with resource \$5 with environment\$3	USPAT	OR	OFF	2009/03/19 17:29
S127	1	("6377991").PN.	USPAT	OR	OFF	2009/03/19 17:30
S128	1	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with request \$5	USPAT	OR	OFF	2009/03/20 13:39
S129	11	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with request \$5	US-PGPUB; USPAT	OR	OFF	2009/03/20 20:20
S130	0	(obtain\$3 or collect\$5) with environment\$3 with type\$3 with allocat \$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 07:51
S131	21	(obtain\$3 or collect\$5) with type\$3 with allocat \$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 07:51
S132	0	(obtain\$3 or collect\$5) with architech\$3 with allocat\$5 with resource \$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:34
S133	2	(obtain\$3 or collect\$5) with archit\$9 with allocat\$5 with resource \$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:35

S134	52	(obtain\$3 or collect\$5) with archit\$9 with allocat\$5 with resource \$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:36
S135	2	(obtain\$3 or collect\$5) with compati\$9 with environment\$5 with allocat\$5 with resource \$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:39
S136	95	(obtain\$3 or collect\$5) with environment\$5 with allocat\$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:40
S137	105	(obtain\$3 or collect\$5) with environment\$5 with allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 09:04
S138	173	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) with allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 09:06
S139	32	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) with allocat\$5 same resource\$3 and "718"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/21 10:46
S140	30	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) with allocat\$5 same resource\$3 and "709"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:06
S141	4	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) with allocat\$5 same resource\$3 .ab.	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:12
S142	173	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) with allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:13
S143	393	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) same allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:21
S144	4355985	(obtain\$3 or collect\$5) with env non\$3 environment\$3 with allocat\$5 with resource \$3	USPAT	OR	OFF	2009/03/21 14:58

S145	0	(obtain\$3 or collect\$5) with non\$3 with environment\$3 with allocat\$5 with resource \$3	USPAT	OR	OFF	2009/03/21 14:58
S146	0	(obtain\$3 or collect\$5) with non\$3 with native \$3 with environment\$3 with allocat\$5	USPAT	OR	OFF	2009/03/21 14:58
S147	0	(obtain\$3 or collect\$5) with non\$3 with native \$3 with environment\$3 with allocat\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:59
S148	3	(obtain\$3 or collect\$5) with non\$3 with native \$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:59
S149	7	resourc\$5 with non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 15:01
S150	1106	non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 15:02
S154	31	grid\$3 with resource\$3 with manager\$5	USPAT	OR	OFF	2009/03/23 12:47
S156	200	grid\$3 with resource\$3 with manager\$5	US-PGPUB; USPAT	OR	OFF	2009/03/23 12:56
S193	14	architec\$6 with allocat \$5 with resource\$3 same (heterog\$5 or grid \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:16
S194	15	architec\$6 with processor\$5 with resource\$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:17
S195	197	architec\$6 with processor\$5 with (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:24
S196	0	architec\$6 with processor\$5 with (heterog\$5 or grid\$5) with allocat\$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S197	0	architec\$6 with processor\$5 with allocat \$5 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S198	3	architec\$6 with processor\$5 same allocat\$5 same (heterog \$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S205	12	typ\$5 with architec\$5 with allocat\$5 with processor\$5	USPAT	OR	OFF	2009/11/06 20:08

S206	2	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource \$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:15
S207	2	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource \$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:17
S208	56	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource \$3	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:18
S209	0	type\$5 with ( archite \$9) with (processor\$3 computer\$3) with diffirn\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S210	0	type\$5 with ( archite \$9) with (processor\$3 computer\$3) with diffir \$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S211	0	type\$5 with ( archite \$9) with (processor\$3 or computer\$3) with diffir\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S212	13707	type\$5 with ( archite \$9) with (processor\$3 or computer\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S213	38	type\$5 with ( archite \$9) with (processor\$3 or computer\$3) same (heterog\$5 or grid\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S214	124	type\$5 with ( archite \$9) with (heterog\$5 or grid\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:54
S215	0	type\$5 with ( archite \$9) with (processor\$3 or computer\$3 or nod \$3) with diffiren\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:40
S216	14446	type\$5 with ( archite \$9) with (processor\$3 or computer\$3 or nod \$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:40
S217	109	type\$5 with ( archite \$9) with (processor\$3 or computer\$3 or nod \$3) with (alloc\$5 or assign\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:41

S218	7	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) with (transf\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:28
S219	5	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) same (alloc\$5 or assign\$5) with (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:29
S220	14	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) same (alloc\$5 or assign\$5)same (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:31
S221	58	type\$5 with ( archite\$9) with (alloc\$5 or assign\$5) with (transf\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:32
S222	42	type\$5 with ( archite\$9) with (alloc\$5 or assign\$5) with (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:34
S223	8	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:35
S224	760	type\$5 with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:36
S225	2	type\$5 with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver\$5) same (heter\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:36
S226	3	(type\$5 or kind\$5) with architec\$5 with resource\$3 with (processor\$3 or node\$3 or cpu\$3 or computer\$3) with (convert\$3 or transform\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:38

S227	127	(type\$5 or kind\$5) with architec\$5 with (processor\$3 or node\$3 or cpu\$3 or computer \$3) with (convert\$3 or transform\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 10:52
S228	0	(type\$5 or kind\$5) with architec\$5 with (processor\$3 or node\$3 or cpu\$3 or computer \$3) with (convert\$3 or transform\$3) with (obtain\$5 or collect\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:01
S229	33	architec\$5 with (processor\$3 or node\$3 or cpu\$3 or computer \$3) with (convert\$3 or transform\$3) with (request\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:03
S230	40	(obtain\$3 or collec\$5) with architec\$5 with (computer\$3 or nod\$3 or cpu\$3 or processor \$3) with (transform\$3 or convert\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:06
S231	34	architec\$5 with (computer\$3 or nod\$3 or cpu\$3 or processor \$3) with (transform\$3 or convert\$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:13
S232	39	(obtain\$3 or collect\$5) with type\$3 with (computer\$3 or nod\$3 or cpu\$3 or processor \$3) with (transform\$3 or convert\$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:14
S233	0	(obtain\$3 or collect\$5) with architec\$3 with (computer\$3 or nod\$3 or cpu\$3 or processor \$3) with (transform\$3 or convert\$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:17
S236	6	("20020169945"   "5925124"   "6014735"   "6154819"   "6760832"   "6917997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/07 15:07

S237	3964549	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (determin\$5 or identif\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:27
S238	21	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (determin\$5 or identif\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:28
S239	7	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:33
S240	34	(obtain\$5 or collect\$5) with type\$5 with (processor\$3 or node\$3 or computer\$5) with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:36
S241	0	(obtain\$5 or collect\$5) with archite\$5 with type\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:37
S242	14	(obtain\$5 or collect\$5) with archite\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:37
S395	16	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:39
S396	28	(obtain\$3 or collect\$5) with type\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:39
S397	62	(obtain\$3 or collect\$5) with archit\$9 with allocat\$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:40
S398	2	(obtain\$3 or collect\$5) with compati\$9 with environment\$5 with allocat\$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:40

S399	2	(obtain\$3 or collect\$5) with compati\$9 with environment\$5 with allocat\$5 with resource \$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:41
S400	62	(obtain\$3 or collect\$5) with archit\$9 with allocat\$5 with resource \$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:41
S401	17	(obtain\$5 or collect\$5) with archite\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:42
S402	10	resourc\$5 with non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:42
S403	277	grid\$3 with resource\$3 with manager\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:50
S404	156	allocat\$3 with resource \$3 with architect\$6 with processor\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:50
S405	3	native\$3 with archite\$6 with allocat\$3	USPAT	OR	OFF	2010/10/11 07:50
S406	12	archite\$6 with allocat\$3 with resource\$3 with request\$5 and (heteroge\$6 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:50
S408	10	resourc\$5 with non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:51
S409	277	grid\$3 with resource\$3 with manager\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 07:51
S410	2	(obtain\$3 or collect\$5) with environment\$3 with resource\$3 with heterogen\$9	USPAT	OR	OFF	2010/10/11 07:52
S411	18	architec\$6 with allocat \$5 with resource\$3 same (heterog\$5 or grid \$5)	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:12
S412	1102	allocat\$5 with resource \$5 with environment\$3	USPAT	OR	OFF	2010/10/11 08:16
S413	527	(obtain\$3 or collect\$5) with (type\$3 or architect \$6) same allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:16



S414	25	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (determin\$5 or identif\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:17
S415	17	(obtain\$5 or collect\$5) with archite\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:37
S416	147	(type\$5 or kind\$5) with architec\$5 with (processor\$3 or node\$3 or cpu\$3 or computer\$3) with (convert\$3 or transform\$3)	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:37
S417	2696	718/104.CCLS.	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:39
S418	9408	709/225-226.CCLS.	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:40
S419	0	S416 and S417	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:40
S420	41	S403 and S417	US-PGPUB; USPAT	OR	OFF	2010/10/11 08:40
S421	915	(different\$3 ) near6 (os\$1 (operating adj2 system\$2) environment\$3) same (request\$3 command\$3) with ( controller\$5 manage\$5 manage\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 08:42
S422	21	S417 and S421	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 08:42
S423	36	S418 and S421	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 08:42
S424	17	(obtain\$5 or collect\$5) with archite\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 10:03
S425	1	("7162617").PN.	USPAT	OR	OFF	2010/10/11 10:06

S426	311	grid\$3 with resource\$3 with manager\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/11 10:44
------	-----	---	--	----	-----	---------------------

**10/ 11/ 10 1:43:02 PM****C:\ Documents and Settings\ Ctruong3\ My Documents\ EAST\ Workspaces\ 10798108-1.wsp**